

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Harry Michael O'Sullivan)
Serial No. : Divisional Application of)
U.S. Serial No. 08/436,863)
Filed : April 17, 2001)
For : CELLULAR TELEPHONE DATA)
COMMUNICATION SYSTEM AND)
METHOD)

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231
Box: PATENT APPLICATION

Dear Sir:

IN THE SPECIFICATION:

After the title "CELLULAR TELEPHONE DATA COMMUNICATION SYSTEM AND METHOD" insert:

This application is a divisional of Serial No. 08/436,863 filed May 8, 1995 (now Re. 37,141) which is a continuation of Serial No. 07/930,251 filed August 17, 1992 which is a divisional of Serial No. 07/414,468 filed September 29, 1989, now Reissue Patent No. 34,034 which is a reissue of U.S. Patent No. 4,697,281 (Application Serial No. 06/839,564, filed March 14, 1986) which was a continuation-in-part of U.S. Patent Application Serial No. 06/786,641, filed October 11, 1985 (now abandoned) which was based on Serial No. 06/648,945, filed September 10, 1984 (also abandoned).

IN THE CLAIMS:

Please cancel claims 1-37 and add claims 38-42 as follows:

38. A cellular computer data transmission interface device for allowing a portable computer having a conventional data output terminal to operate a cellular network access device having a cellular transceiver linked via radio signals to a cellular system in response to

access device compatible control signals generated by a control unit in response to direct operator input and supplied to the cellular transceiver over a line directly connected to the control unit and the cellular transceiver, comprising;

- a) receiving means for receiving instructions from the portable computer,
- b) processing means connected with said receiving means for interpreting the instructions received from the portable computer and for generating cellular transceiver control signals in response to said portable computer generated instructions,
- c) transmitting means connected with said processing means for receiving said cellular transceiver control signals, generating access device compatible signals from said control signals, and for transmitting said access device compatible signals to the line through a connection between the transmitting means and the line to cause the cellular transceiver to place a cellular telephone network call.

39. The device of claim 38 wherein the receiving means for receiving instructions from the portable computer comprises a serial data interface.

40. The device of claim 38 wherein the transmitting means comprises an eight-bit parallel input/output cellular interface.

41. The data transmission interface device of claim 38 wherein said receiving means further comprises data transfer means for transferring digital data between the portable computer and the cellular transceiver for transmission over the cellular transceiver to a remote station.

42. The data transmission interface device of claim 41 further comprising modem means operably connected to the data transfer means and the cellular transceiver for modulating data signals received from the portable computer for transmission over the cellular transceiver to the remote station and for demodulating data signals received from the radio telephone network access device for transmission to the computer means.

3